B Ü C H S E N P A T R O N E N

GECO PLUS

GECO 7x64 PLUS 11,0g

Artikel-Nr.:	**2317841**
Geschosstyp:	**Bonded**
Geschossgewicht:	**11,0 g / 170 gr**
Lauflänge:	**600 mm**
Ballistik-Koeffizient:	**0.375**
Kaliber:	**7x64**
Verpackungsgröße:	**20**
Blei:	**Ja**
Rückstoß:	**Mittel**
Nutzung für:	**Leichtes Wild** **Mittelschweres Wild** **Schweres Wild**

HIGHLIGHTS

- Hohe Tiefenwirkung und Wildbretschonung auch auf stärkeres Wild
- Zuverlässige Wirksamkeit bei schwerem Wild und Knochentreffern
- Hohe Präzision und sichere Deformation dank GECO BONDING
- Steuerung der Deformation durch die sichtbaren Sollbruchstellen im Mantel

Beschreibung

Das GECO PLUS steht für Tiefenwirkung und Wildbretschonung - auch wenn das Wild einmal stärker ist.

GECO is a registered trademark of RWS GmbH.
Copyright © 2025 RWS GmbH

RWS GmbH
Kronacher Str. 63
90765 Fürth Germany

Phone: +49 (0)911 7930 0
Email: info@rws-tech.com
www.geco-ammunition.com

BALLISTIC DATA

Metrisch

Geschwindigkeit		Energie		Empfohlene Einschieß-Entfernung		
V0 [m/s]	**830**	E0 [J]	**3789**		**100m**	**MRD* 171m**
V50 [m/s]	**790**	E50 [J]	**3433**	50 m	**-0.5**	**1.5**
V100 [m/s]	**751**	E100 [J]	**3102**	100 m	**¤**	**4**
V150 [m/s]	**713**	E150 [J]	**2796**	150 m	**-3.8**	**2.2**
V200 [m/s]	**677**	E200 [J]	**2521**	200 m	**-12.5**	**-4.4**
V250 [m/s]	**641**	E250 [J]	**2260**	250 m	**-26.5**	**-16.4**
V300 [m/s]	**607**	E300 [J]	**2026**	300 m	**-46.5**	**-34.4**

Imperial

Geschwindigkeit		Energie		Empfohlene Einschieß-Entfernung		
V0 [ft/s]	**2723**	E0 [ft/lbs]	**2795**		**100yds**	**MRD* 189yds**
V50 [ft/s]	**2603**	E50 [ft/lbs]	**2554**	50 yds	**-0.4**	**0.4**
V100 [ft/s]	**2486**	E100 [ft/lbs]	**2329**	100 yds	**¤**	**1.6**
V150 [ft/s]	**2372**	E150 [ft/lbs]	**2121**	150 yds	**-1**	**1.3**
V200 [ft/s]	**2261**	E200 [ft/lbs]	**1927**	200 yds	**-3.6**	**-0.5**
V250 [ft/s]	**2153**	E250 [ft/lbs]	**1747**	250 yds	**-7.9**	**-4**
V300 [ft/s]	**2048**	E300 [ft/lbs]	**1581**	300 yds	**-14.1**	**-9.4**

GECO is a registered trademark of RWS GmbH.
Copyright © 2025 RWS GmbH

RWS GmbH
Kronacher Str. 63
90765 Fürth Germany

Phone: +49 (0)911 7930 0
Email: info@rws-tech.com
www.geco-ammunition.com

Bullet construction of GECO PLUS



GECO PERFORMANCE POINT:
For precision and safe deformation

GECO GROOVES:
For controlled effectiveness

GECO BONDING:
For deep penetration and venision protection

GECO is a registered trademark of RWS GmbH.
Copyright © 2025 RWS GmbH

RWS GmbH
Kronacher Str. 63
90765 Fürth Germany

Phone: +49 (0)911 7930 0
Email: info@rws-tech.com
www.geco-ammunition.com



GECO is a registered trademark of RWS GmbH.
Copyright © 2025 RWS GmbH

RWS GmbH
Kronacher Str. 63
90765 Fürth Germany

Phone: +49 (0)911 7930 0
Email: info@rws-tech.com
www.geco-ammunition.com