B Ü C H S E N P A T R O N E N

GECO STAR

GECO .308 Win. STAR 10,7g

Artikel-Nr.:	**2413833**
Geschosstyp:	**Monolithic**
Geschossgewicht:	**10.7 g / 165 gr**
Lauflänge:	**600 mm**
Ballistik-Koeffizient:	**0.388**
Kaliber:	**.308 Win.**
Verpackungsgröße:	**20**
Blei:	**Nein**
Rückstoß:	**Mittel**
Nutzung für:	**Leichtes Wild** **Mittelschweres Wild** **Schweres Wild**

HIGHLIGHTS

- Bleifreies Deformationsgeschoss
- Sichere Deformation auf alle Entfernungen dank Hohlspitzkonstruktion
- Hohe Eigenpräzision und gute Wildbretverwertung
- Maximale Tiefenwirkung und geringe Fluchtstrecken dank GECO COPPER CORE

Beschreibung

Das GECO STAR ist ein bleifreies Deformationsgeschoss mit maximaler Tiefenwirkung und hohem Restgewicht.

GECO is a registered trademark of RUAG Ammotec, a RUAG group company
Copyright © 2021 RUAG Ammotec GmbH

RUAG Ammotec GmbH
Kronacher Str. 63
90765 Fürth Germany

Phone: +49 (0)911 79 30 0
info.ammotec@ruag.com
www.geco-ammunition.com

BALLISTIC DATA

Metrisch

Geschwindigkeit		Energie		Empfohlene Einschieß-Entfernung		
V0 [m/s]	**783**	E0 [J]	**3280**		**100m**	**MRD* 162m**
V50 [m/s]	**746**	E50 [J]	**2977**	50 m	**-0.3**	**1.7**
V100 [m/s]	**709**	E100 [J]	**2689**	100 m	**¤**	**4**
V150 [m/s]	**673**	E150 [J]	**2423**	150 m	**-4.6**	**1.5**
V200 [m/s]	**638**	E200 [J]	**2178**	200 m	**-14.6**	**-6.5**
V250 [m/s]	**605**	E250 [J]	**1958**	250 m	**-30.7**	**-20.6**
V300 [m/s]	**573**	E300 [J]	**1757**	300 m	**-53.5**	**-41.4**

Imperial

Geschwindigkeit		Energie		Empfohlene Einschieß-Entfernung		
V0 [ft/s]	**2569**	E0 [ft/lbs]	**2420**		**100yds**	**MRD* 177yds**
V50 [ft/s]	**2457**	E50 [ft/lbs]	**2213**	50 yds	**-0.3**	**0.5**
V100 [ft/s]	**2347**	E100 [ft/lbs]	**2020**	100 yds	**¤**	**1.5**
V150 [ft/s]	**2238**	E150 [ft/lbs]	**1836**	150 yds	**-1.3**	**1**
V200 [ft/s]	**2131**	E200 [ft/lbs]	**1665**	200 yds	**-4.3**	**-1.2**
V250 [ft/s]	**2030**	E250 [ft/lbs]	**1511**	250 yds	**-9.3**	**-5.4**
V300 [ft/s]	**1933**	E300 [ft/lbs]	**1370**	300 yds	**-16.4**	**-11.7**

GECO is a registered trademark of RUAG Ammotec, a RUAG group company
Copyright © 2021 RUAG Ammotec GmbH

RUAG Ammotec GmbH
Kronacher Str. 63
90765 Fürth Germany

Phone: +49 (0)911 79 30 0
info.ammotec@ruag.com
www.geco-ammunition.com

Bullet construction of GECO STAR



GECO HOLLOW POINT:
For reliable deformation at all distances

GECO GROOVES:
For maximum precision and optimum ballistics

GECO COPPER CORE:
For deep penetration and high knock down power

GECO is a registered trademark of RUAG Ammotec, a RUAG group company
Copyright © 2021 RUAG Ammotec GmbH

RUAG Ammotec GmbH
Kronacher Str. 63
90765 Fürth Germany

Phone: +49 (0)911 79 30 0
info.ammotec@ruag.com
www.geco-ammunition.com